

ThermoQuest - A Wearable Head Mounted Display to Augment Realities with Thermal Feedback

Kirill Ragozin
Keio University
Japan
kirill@kmd.keio.ac.jp

Xiaru Meng
Keio University
Japan
mengxiaru@kmd.keio.ac.jp

Roshan Lalintha Peiris
Rochester Institute of Technology
United States
roshan.peiris@rit.edu

Katrin Wolf
Beuth University of Applied Sciences
Germany
katrin.wolf@acm.org

George Chernyshov
Keio University
Japan
chernyshov@kmd.keio.ac.jp

Kai Kunze
Keio University
Japan
kai@kmd.keio.ac.jp



Figure 1: Prototype of the ThermoQuest system worn by a user experiencing cold and hot immersive virtual environments.

ABSTRACT

We present ThermoQuest, a self-contained wearable head-mounted display system for enhancing Virtual Reality experiences with temperature feedback. It's constructed with commodity hardware elements, featuring 6 Peltier elements on the rim of the headset touching the users face. We explain the design and implementation of an affordable wearable thermal VR prototype build with commodity hardware. In a user study with 15 participants, we show evidence for a significant difference in reported presence in VR between thermal VR and control conditions ($p > 0.017$) in a counterbalanced experimental setup. We end with a discussion and use cases of the presented VR prototype and similar systems.

CCS CONCEPTS

• **Human-centered computing** → **Virtual reality; Interaction devices.**

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for components of this work owned by others than ACM must be honored. Abstracting with credit is permitted. To copy otherwise, or republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee. Request permissions from permissions@acm.org.

MUM 2021, December 5-8, 2021, Leuven, Belgium

© 2021 Association for Computing Machinery.

ACM ISBN 978-1-4503-8643-2/21/05...\$15.00

<https://doi.org/10.1145/3490632.3490649>

KEYWORDS

Multimodal Interfaces, Thermal Feedback, Virtual Reality

ACM Reference Format:

Kirill Ragozin, Xiaru Meng, Roshan Lalintha Peiris, Katrin Wolf, George Chernyshov, and Kai Kunze. 2021. ThermoQuest - A Wearable Head Mounted Display to Augment Realities with Thermal Feedback. In *20th International Conference on Mobile and Ubiquitous Multimedia (MUM 2021)*, December 5-8, 2021, Leuven, Belgium. ACM, New York, NY, USA, 5 pages. <https://doi.org/10.1145/3490632.3490649>

1 INTRODUCTION

As governments and healthcare experts around the world call for changing lifestyle in response to the Covid-19 pandemic, the development and usage of remote communication and touchless technologies are rapidly becoming an essential part of the “new normal”. At the same time, the absence of touch and physical contact highlights their critical importance in human life from school to hospital to care facilities. The struggle of deafblind individuals who rely on touch alone for communication especially sheds light on how critical this sense is in human communication, since they are unable to take advantage of the conventional auditory and visual telepresence technologies even as their usage is promoted under stay-at-home measures.

In our research, we are working on technologies to use feedback to the human somatosensory subsystem (i.e. pressure, temperature, texture, pain and body position) to encode, model and deliver information from computing systems in a minimally obtrusive way. In this paper we focus on thermal perception, equipping a commodity,




Figure 2: Prototype of the virtual reality headset with 6 embedded Peltier elements (left) showing the thermal preview of hot actuation (middle) and cold actuation (right).

wearable VR headset with affordable Peltier elements to provide thermal feedback.

Our contributions are as follows:

- We present the design and implementation of an affordable, wearable thermal VR HMD prototype built with commodity hardware.
- We show evidence for a significant difference in reported presence in VR between thermal VR and control conditions ($p > 0.017$) in a counterbalanced experimental setup with 15 participants.
- We end with a discussion and use cases of the presented VR prototype and similar systems.

2 RELATED WORK

Somatosensory feedback over pressure, tactile and thermal actuators is often used as an additional output channel in human computer interaction, from simulating different materials, over thermal notifications, navigation scenarios to increase presence in virtual reality environments [2, 5, 8, 14–18, 20]. For brevity, we will focus on thermal feedback related to human computer interaction and the enhancement of mixed/virtual reality applications.

Nakashige et al. presented an early work augmenting a computer mouse to enhance digital media with temperature information [8]. There are several continuations of this work, enhancing game controllers and mobile phones with thermal interactions, adding situational awareness or simple hot/cold notifications to applications [7, 19]. Also form factors evolved from interaction devices and peripherals to wearables. Peiris et al. present a bracelet with thermal feedback, evaluating perception thresholds and application cases [9]. Moving away from notifications, immersion and situational awareness, Tewell et al. explore the use of thermal feedback also for navigation tasks [16].

Presence and immersion evaluations in virtual environments are subjective and usually recorded over questionnaires. Although there is an ongoing discussion about validity and effectiveness, thermal (and other somatosensory) feedback has been shown to increase immersion [3, 4, 6, 11, 12, 14, 15, 17, 18]. Ranashinghe et al. use additional hardware setups, focusing on thermal actuation on the neck, throat and behind the ear to increase immersion simulating wind and temperature [13]. These works often apply extensive hardware setups in larger lab environments.

Close to our work, Peiris et al. present ThermoVR, a HMD connected to a computer, using some five thermal feedback prototype modules to provide hot/cold feedback on the user’s face [10]. Chen et al. also present some thermal design patterns for the same type of thermal feedback prototypes [1]. Yet, these systems use thermal feedback prototypes from a specific producer. These elements are not readily available for other researchers and DIY makers. Compared to this our prototype uses off-the-shelf products and is easy to assemble for researchers and enthusiasts. We use the works as basis for our feedback design, combining the 6 actuators in 3 channels (left, front, right).

To the best of our knowledge, ThermoQuest is the first fully wearable HMD with thermal feedback using affordable commodity elements. We are also unaware of any research evaluating thermal feedback in standalone VR headsets.

3 IMPLEMENTATION

The device is designed to fit the standard Oculus Quest HMD. Peltier elements were mounted into the removable foam face interface of the HMD. In total we used 6 elements, 15x15mm in size, rated at 2A 3.7V max. 6 elements are split into 3 channels: front (2 on the forehead), left and right (1 on temple and 1 on cheek). Each of 3 groups is controlled with an Allegro A3909 H-bridge chip, allowing us to pass current through the element in either direction, providing both cold and hot sensations on the same element. Each channel is powered through a PTC fuse for safety reasons.

The feedback module is controlled by an esp32 module, acting as a Wifi Access Point (AP) with Oculus connecting to this AP directly and communicating with the thermal device over WiFi. The device is powered from a 3.7v lithium-polymer battery with another PTC fuse on the power line.

The thermal sensations were provided in repetitive pulses. For hot sensations the element was powered on for 4 seconds followed by a 6 second cool down period. For cold sensations the elements were powered on for 5 seconds and powered off for another 5 seconds. Since we did not use any cooling mechanism on the peltier elements we could not power them continuously in order to avoid overheating.

4 METHODOLOGY

A mobile VR headset prototype capable of providing thermal feedback in short repeating pulses was created for the experiment.



Figure 3: Pictures from inside the VR environment showing thermally charged objects that generate cold and hot sensations. Proximity to the waterfall triggers cold feedback, while the fire produces heat.

Additionally, an immersive virtual environment was created with Unreal Engine to facilitate the thermal feedback interactions. The experiment featured three controlled conditions. To account for the possible ordering effects, the trials between participants followed a counterbalanced order. With this study we have captured quantitative data for the self-estimated presence in virtual environment using Witmer & Singer Presence Questionnaire (version 3.0). Qualitative feedback regarding the user experience was gathered as well. The experiment was conducted in a closed room with ambient temperature set at a constant level for all the participants. The procedure of the study was as follows:

1) *Informed Consent.* The participant was welcomed to the study location and was informed about the details of the procedure of the study. Then, we explained the consent form and the data protection policy which the participants were asked to read and sign.

2) *Personal Data Gathering.* The participant then was asked to indicate their age and sex on the digital spreadsheet.

3) *Experiencing Virtual Environment.* The person conducting the experiment would then select an appropriate trial category for the participant and hand over the virtual reality HMD to the participant. The experience was set up to start after a 30 second delay, providing just enough time for the user to put the headset on and get comfortable. Virtual environment featured six scenes spread across three virtual worlds. Each scene has lasted 30 seconds after which the users virtual avatar would be teleported to the new view location. Thermal feedback was provided passively as an ambient environmental cue and the user was not able to affect it in any way. Two virtual scenes were neutral and featured no thermal feedback, two scenes contained objects as temperature sources (waterfall and fireplace), and two were thematically charged with temperature (winter environment and desert environment). The user was only equipped with the VR headset and could interact with the environment through rotation and small motion based on the physical position of the headset. No other interactions were provided.

4) *Filling the Questionnaire.* After going through the virtual experience, the participant had filled in the 32 questions of Witmer & Singer Presence Questionnaire (version 3.0), rated on a Likert scale

from 1 to 7. Additionally, they were provided a secondary questionnaire where they were asked to fill in a free form the answers to the following questions:

- What supported your feeling of immersion in the VR scene?
- What reduced your feeling of immersion in the VR scene?
- What did you like about the presented feedback?
- What did you NOT like about the presented feedback?



Figure 4: User wearing the prototype of mobile head-mounted display with thermal feedback.

5) *Trials with Different Conditions.* The experiment was then repeated for the remaining two conditions. For example, if the first trial was without any feedback (A), the consecutive trial would contain normal thermal feedback (B) and then reversed thermal feedback (C), repeating steps (3) and (4) for each one.

5) *Semi-structured Interview.* After all three trials were complete, the participant was asked to elaborate on their answers to the questions in section (4) and to share their general opinion and comments regarding the overall experience, if they had anything to add.

5 RESULTS

A total of 15 participants (6 male, 9 female, age 21 to 30) have taken part in the experiment.




Figure 5: Median presence scores with standard deviations for 3 experimental conditions: A - no feedback, B - expected feedback, C - unexpected feedback.

Initial analysis of the data conducted with a Friedman test had shown that there was a statistically significant difference in the reported sense of presence depending on the type of feedback presented to the users while in VR, $\chi^2 = 19.600$, $p = 0.000055$. Post hoc analysis with Wilcoxon signed-rank tests was conducted with a Bonferroni correction applied, resulting in a significance level set at $p < 0.017$. Median presence evaluation levels for the no feedback, normal expected feedback and reversed unexpected feedback were 131 (104 to 174, std = 17.578), 149 (129 to 163, std = 18.019) and 119 (106 to 128, std = 20.786), respectively. There were significant differences between all three trial category pairs: no feedback and normal feedback trials ($Z = -3.238$, $p = 0.001204$), no feedback and reversed thermal feedback ($Z = -2.473$, $p = 0.013394$), normal feedback and reversed feedback ($Z = -3.409$, $p = 0.000652$).

6 DISCUSSION

Statistical analysis of the W&S questionnaire suggests that regular temperature feedback was effective in increasing the sense of presence in virtual environment, while reversed thermal had feedback decreased that sense. Many users have reported that audio played a significant part in evaluating the experience. As such, one participant had said that “I can feel objects surrounding me by listening to the background sound”. Some have also mentioned the aesthetic qualities of the environment and reported that the polygonal nature of the chosen style had a minor negative impact on their sense of immersion, due to being “not realistic”. Others, however, enjoyed the look of the environment, claiming that “I like the sound and visual design”. Some participants felt limited by the lack of interactions with the environment. As for the temperature, the following reactions were observed. Two users have reported a sense of inconsistency when perceiving “intense” warm feedback

from a visually small object (fireplace). One participant had said that when feeling normal thermal feedback on the face, he felt more engaged with the experience and wished that it would be possible to interact with the environment to feel the feedback on different parts of the body, specifically hands. When asked about the unexpected feedback, the majority of participants have described it as “weird” and “uncomfortable”. One had claimed that “mismatching feedback doesn’t make sense and doesn’t add anything positive to the experience”. Several participants have exhibited an elevated sense of alertness and the desire to “figure out what is wrong” that lasted for several seconds, before they could realize that it’s just an opposite temperature setting and nothing else in the environment had changed. One explained that such disconnect “feels like it’s a cue for me to look at things”. This suggests a possible intentional use of the unexpected thermal feedback technique as a way of temporarily inducing the sense of unease in the experience. Several users felt that pulsating feedback, chosen due to technical limitations, was limiting and wished to feed more “even” sensation; two have expressed the desire to either have more touch-points or have the feedback provided by a consistent mechanism, where individual thermal stimuli could not be distinguished. Many users have reported that after going through trials with both normal feedback and without feedback they felt “relaxed and very peaceful”, confirming the assumption of potentially using such type of experience for light recreation and alleviating stress. One user had expressed the feeling of stronger feedback intensity when switching between the polar opposite scenes from warm to cold, saying “when the situation changed from the desert to snow, the difference of the temperature is too big, so I feel even colder”. Two have described the feedback as “too strong”, to the point where they felt even the thermal stimuli aligned with the virtual scene have distracted them the experience. During the interview two participants have mentioned that they actually have felt more immersed with the environment featuring unexpected feedback, either because it was consistent with their life experience (such as feeling the comforting warmth in the winter), or because they felt compelled to create a sensible explanation (such as comparing warm feedback from waterfall to the heat of the hot spring). Overwhelmingly, the version of the experience featuring regular thermal feedback was referred to as “the best”, with participant saying that “feedback matching the scene has a great positive impact on the immersion”, “the sound and the heat changes supported my feeling” and “thermal feedback is cool”.

7 CONCLUSIONS AND FUTURE WORK

The results of the experiment seem to support the original hypothesis that addition of the thermal feedback to the VR experience would elevate the sense of presence and immersion, while the use of an “unexpected” feedback would help achieve the opposite result. Additionally, it suggests potential use of the “unexpected” feedback as an intentional design technique aimed at making the user either confused, uncomfortable and more alert for the upcoming event in the scene. Lastly, it provides several directions for the future hardware design, suggesting to change the stimuli distribution to a more continuous range and to integrate a cooling module, so that

the feedback could be used with a faster onset and be consistent without pulsations.

ACKNOWLEDGMENTS

This work is supported by the JSPS Kakenhi Kiban B Grant No. 18H03278.

REFERENCES

- [1] Zikun Chen, Roshan Lalintha Peiris, and Kouta Minamizawa. 2017. A thermal pattern design for providing dynamic thermal feedback on the face with head mounted displays. In *Proceedings of the Eleventh International Conference on Tangible, Embedded, and Embodied Interaction*. , , 381–388.
- [2] George Chernyshov, Kirill Ragozin, Cedric Caremel, and Kai Kunze. 2018. Hand motion prediction for just-in-time thermo-haptic feedback. In *Proceedings of the 24th ACM Symposium on Virtual Reality Software and Technology*. , , 1–2.
- [3] George Chernyshov, Kirill Ragozin, Jiajun Chen, and Kai Kunze. 2018. Dubhap: A sensory substitution based superhuman sport. In *Proceedings of the First Superhuman Sports Design Challenge: First International Symposium on Amplifying Capabilities and Competing in Mixed Realities*. , , 1–6.
- [4] Felix Hülsmann, Julia Fröhlich, Nikita Mattar, and Ipke Wachsmuth. 2014. Wind and warmth in virtual reality: implementation and evaluation. In *Proceedings of the 2014 Virtual Reality International Conference*. , , 1–8.
- [5] Shuichi Ino, Shunji Shimizu, Tetsuro Odagawa, Mitsuru Sato, M Takahashi, T Izumi, and T Ifukube. 1993. A tactile display for presenting quality of materials by changing the temperature of skin surface. In *Proceedings of 1993 2nd IEEE International Workshop on Robot and Human Communication*. IEEE, , , 220–224.
- [6] Dhruv Jain, Misha Sra, Jingru Guo, Rodrigo Marques, Raymond Wu, Justin Chiu, and Chris Schmandt. 2016. Immersive terrestrial scuba diving using virtual reality. In *Proceedings of the 2016 CHI Conference Extended Abstracts on Human Factors in Computing Systems*. , , 1563–1569.
- [7] Vasil Kotsev, Atanas Nikolev, Kasper Pawlak, and Markus Löchtfeld. 2017. Investigating the usage of thermal feedback as an active game element. In *Proceedings of the 16th International Conference on Mobile and Ubiquitous Multimedia*. , , 91–95.
- [8] Mutsuhiro Nakashige, Minoru Kobayashi, Yuriko Suzuki, Hidekazu Tamaki, and Suguru Higashino. 2009. "Hiya-Atsu" media: augmenting digital media with temperature. In *CHI'09 Extended Abstracts on Human Factors in Computing Systems*. , , 3181–3186.
- [9] Roshan Lalitha Peiris, Yuan-Ling Feng, Liwei Chan, and Kouta Minamizawa. 2019. Thermalbracelet: Exploring thermal haptic feedback around the wrist. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems*. , , 1–11.
- [10] Roshan Lalintha Peiris, Wei Peng, Zikun Chen, Liwei Chan, and Kouta Minamizawa. 2017. Thermovr: Exploring integrated thermal haptic feedback with head mounted displays. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems*. , , 5452–5456.
- [11] Kirill Ragozin, George Chernyshov, and Kai Kunze. 2019. HeatSense—Thermal Sensory Supplementation for Superhuman Sports. In *2019 IEEE Conference on Virtual Reality and 3D User Interfaces (VR)*. IEEE, , , 1831–1833.
- [12] Kirill Ragozin, Dingding Zheng, George Chernyshov, and Danny Hynds. 2020. Sophroneo: Fear not. A VR Horror Game with Thermal Feedback and Physiological Signal Loop. In *Extended Abstracts of the 2020 CHI Conference on Human Factors in Computing Systems*. , , 1–6.
- [13] Nimesha Ranasinghe, Pravar Jain, Shienny Karwita, David Tolley, and Ellen Yi-Luen Do. 2017. Ambiotherm: enhancing sense of presence in virtual reality by simulating real-world environmental conditions. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems*. , , 1731–1742.
- [14] Nimesha Ranasinghe, Pravar Jain, Nguyen Thi Ngoc Tram, Koon Chuan Raymond Koh, David Tolley, Shienny Karwita, Lin Lien-Ya, Yan Liangkun, Kala Shamaiah, Chow Eason Wai Tung, et al. 2018. Season traveller: Multisensory narration for enhancing the virtual reality experience. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems*. , , 1–13.
- [15] Thomas B Sheridan. 1992. Musings on telepresence and virtual presence. *Presence: Teleoperators & Virtual Environments* 1, 1 (1992), 120–126.
- [16] Jordan Tewell, Jon Bird, and George R Buchanan. 2017. Heat-nav: Using temperature changes as navigation cues. In *Proceedings of the 2017 CHI Conference on Human Factors in Computing Systems*. , , 1131–1135.
- [17] Dangxiao Wang, Kouhei Ohnishi, and Weiliang Xu. 2019. Multimodal haptic display for virtual reality: A survey. *IEEE Transactions on Industrial Electronics* 67, 1 (2019), 610–623.
- [18] Eric Whitmire, Hrvoje Benko, Christian Holz, Eyal Ofek, and Mike Sinclair. 2018. Haptic revolver: Touch, shear, texture, and shape rendering on a reconfigurable virtual reality controller. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems*. , , 1–12.
- [19] Graham Wilson, Martin Halvey, Stephen A Brewster, and Stephen A Hughes. 2011. Some like it hot: thermal feedback for mobile devices. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems*. , , 2555–2564.
- [20] Dennis Wolf, Michael Rietzler, Leo Hnatek, and Enrico Rukzio. 2019. Face/On: Multi-Modal Haptic Feedback for Head-Mounted Displays in Virtual Reality. *IEEE transactions on visualization and computer graphics* 25, 11 (2019), 3169–3177.