


# Motor Memory in HCI



**Figure 1:** A collage of images from authors' previous related work.

## Rakesh Patibanda

rakesh@exertiongameslab.org

## Nathan Arthur Semertzidis

nathan@exertiongameslab.org

## Michaela Scary

michaela@exertiongameslab.org

## Joseph Nathan La Delfa

joseph@exertiongameslab.org

## Josh Andres

josh.andres@au1.ibm.com

## Mehmet Aydin Baytaş

http://baytas.net

## Anna Lisa Martin-Niedecken

anna.martin@zhdk.ch

## Paul Strohmeier

strohmeier@cs.uni-saarland.de

## Bruno Fruchard

fruchard@cs.uni-saarland.de

## Sang-won Leigh

sang.leigh@design.gatech.edu

## Elisa D. Mekler

elisa.mekler@aalto.fi

## Suranga Nanayakkara

suranga@ahlab.org

## Josef Wiemeyer

wiemeyer@sport.tu-darmstadt.de

## Nadia Berthouze

n.berthouze@ucl.ac.uk

## Kai Kunze

kai@kmd.keio.ac.jp

## Thanassis Rikakis

rikakis@vt.edu

## Aisling Kelliher

aislingk@vt.edu

## Kevin Warwick

aa9839@coventry.ac.uk

## Elise van den Hoven

elise.vandenhoven@uts.edu.au

## Florian 'Floyd' Mueller

floyd@exertiongameslab.org

## Steve Mann

http://mannlab.com

## Abstract

There is mounting evidence acknowledging that embodiment is foundational to cognition. In HCI, this understanding has been incorporated in concepts like embodied interaction, bodily play, and natural user-interfaces. However, while embodied cognition suggests a strong connection between motor activity and memory, we find the design of technological systems that target this connection to be largely overlooked. Considering this, we are provided with an opportunity to extend human capabilities through augmenting motor memory. Augmentation of motor memory is now possible with the advent of new and emerging technologies including neuromodulation, electric stimulation, brain-computer interfaces, and adaptive intelligent systems. This workshop aims to explore the possibility of augmenting motor memory using these and other technologies. In doing so, we stand to benefit not only from new technologies and interactions, but also a means to further study cognition.

## Author Keywords

Motor memory; embodied cognition; embodied interaction; intelligent systems; natural user-interfaces; brain-computer interfaces.

## CCS Concepts

•Human-centered computing → Human computer interaction (HCI);

Permission to make digital or hard copies of part or all of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. Copyrights for third-party components of this work must be honored. For all other uses, contact the owner/author(s).

CHI '20 Extended Abstracts, April 25–30, 2020, Honolulu, HI, USA.

Copyright is held by the author/owner(s).

ACM ISBN 978-1-4503-6819-3/20/04.

http://doi.org/10.1145/3334480.3375163



**Figure 2:** *Mind over Motor:* Testing a self-driving wheelchair with brain-computer interface (BCI) and biofeedback [30].



**Figure 3:** Self-driving wheelchair with “cyborg-motor-memory” for an electric motor [30]. A linear array of light sources on each spoke assists with biofeedback-based motor memory training.

## Introduction

We are becoming increasingly aware of the role of embodiment in the way humans experience the world, with movement acknowledged as foundational to thought [66]. There is increasing evidence that memory is tied to the sensorimotor system rather than only to the sensory system [13], a dynamic that is referred to as “motor memory” [21, 61, 69]. We are now realizing that movement can help us think and learn new information faster by establishing embodied representations of reality [20, 38]. Additionally, the lack of movement where movement would be normal, e.g. after amputation, also evokes motor memory [44, 47]. For example, concepts of motor memory are embodied in the “Mind-over-Motor” project [30], a human-computer interface where there might not be any *human* motor movement at all (Fig. 2 and 3). Motor memory is also interpersonal – our own motor memory can shape how we perceive and remember others [25, 35]. Furthermore, sensorimotor information is coupled to form spatial memory necessary for navigation and exists as a key to creativity [64, 65]. This suggests that thought is internalized action, and re-externalizing thought through congruent actions further promotes thought [58]. When translated to the design of technological systems, this means that not only should we consider that we can learn and memorize motor activity (e.g. motor skills), but that we can also perform motor activity to learn and memorize new information (e.g. gesturing directions) [68].

This broader importance of embodiment has since inspired much HCI research, leading to the development of concepts such as embodied interaction [14], on-body interaction [19], bodily games and play [16, 32, 33, 37, 39, 40, 41, 42], tangible interactions and tangible cognition [67], “wearables” (wearable computing) [26], and natural user interfaces (NUIs) [9, 10, 17, 28, 52, 70]. While these concepts have productively brought forth a wealth of new design per-

spectives, systems and technologies [11], it is arguable that much psychological and cognitive theory has been left behind [63], resulting in approaches that laxly appraise anything that includes the physical body as sufficiently “embodied.” Moreover, “cyborg” technologies like prosthetics, are often not appraised as “embodied” even when warranted (e.g. the brain-controlled wheelchair on Fig. 2 and 3). Thus we feel that the notion of “embodiment” is often laxly applied, in both over-broad and over-narrow senses.

Resultantly, we find that there is a limited number of works in HCI exploring deeper aspects of embodiment such as the relationship between motor activity and memory. Considered alongside new and emerging technologies, this presents an exciting opportunity for novel explorations. For example, neuromodulation can be used to prime the brain to better absorb motor memories [15, 46, 51, 55, 62] and electrical stimulation can produce motor activity without executive control from the brain [45, 53, 56]. Brain-computer interfaces allow us to directly access intentions of motor activity without necessitating bodily movement [12, 18, 31, 34, 30], and lastly, adaptive intelligent systems can iteratively and cyclically learn with humans through the sharing of motor and memory resources forming cyber-human, or humanistic intelligence (HI) [27, 29, 34, 54, 36].

As motor activity is foundational to human cognition, these technologies hold the potential to drastically influence how we experience the world. In this workshop, we explore the areas of embodied cognition and interactions, biomedical and “cyborg” technologies, wearable computing, natural user-interfaces (NUIs), and intelligent systems, towards new horizons of investigation and innovation. Thus we stand to benefit not only from the genesis of new interaction technologies and application areas, but also a means to further study human cognition.

### Topics of Interest

The topics of interest for the workshop include theories, technologies, and applications related to motor memory in HCI. We encourage contributions which do not neatly fit in existing categories.

#### Theory

- Using motor memory in the design of intelligent “enactive systems” [23] to support declarative memory
- Drawing from cross-disciplinary literature including cognitive neuroscience, psychology, phenomenology, and somaesthetics
- Theoretical understandings to direct the design of intelligent systems for augmenting motor memory

#### Technology

We are interested in contributions related to how technologies like BCI, EMG, EMS, haptics, robotics, machine learning, artificial intelligence and human modeling can be leveraged for physically interfacing with motor memory for HCI applications.

#### Applications

- Augmenting motor memory to design towards the extension of human capabilities and learning
- Augmenting motor memory in games including bodily games and serious games
- Designing for health and biomedical applications including rehabilitation and prosthetics
- Novel UX mechanisms for interacting with motor memory
- Designing towards humanistic and cyber-human intelligence [27, 36]

### Goals of the Workshop

The most important goal of the workshop is: (1) to serve as an enduring community and networking platform for researchers who are investigating the intersections of technology, memory, and motor activity.

Other workshop goals are: (2) to identify and articulate relevant theoretical constructs and create resources for future research, (3) understand synergies at the intersections of emerging technologies and current knowledge; and (4) nurture the growth of a cross-disciplinary research community around these topics and develop plans for subsequent activities (e.g. workshops and Dagstuhl Seminars<sup>1</sup>).

Topics of interest for the workshop are given on the sidebar.

### Organizers

**Rakesh Patibanda** is a PhD candidate at the Exertion Games Lab, Monash University. His research mainly focuses at the intersection of body, technology and play [49, 50, 48]. His PhD focuses on how we can use muscle memory as a design resource for intelligent and “enactive” systems [23].

**Nathan Semertzidis** is a PhD candidate at the Exertion Games Lab, Monash University. With a background in psychology and neuroscience, he is currently exploring how Brain-Computer Interfacing can be applied to foster integration between natural and artificial intelligences as “Cyborg Intelligence” [60, 59].

**Michaela Scary** is an Exertion Games Lab member at Monash University who recently completed an honours degree at the University of Melbourne and is interested in

cognitive psychology, computer science, mathematics, biology, physics and philosophy. She also experiments with technology and game design to understand the brain and consciousness.

**Joseph La Delfa** is a PhD candidate at the Exertion Games Lab, Monash University. Joseph aims to design human-drone interactions that improve somatic awareness by leveraging co-movement, materiality and narrative [22, 24].

**Josh Andres** from IBM Research Australia and Exertion Games Lab, Monash University, has co-lead various workshops as well as the first Summer School on embodied interaction [4, 57, 2]. His work focuses on investigating intelligent-like systems as human partners to inform the design of systems that support human potential [43, 1, 3].

**Mehmet Aydın Baytaş** is MSCA Research Fellow at Qualisys AB. His research has covered embodied interaction [11], motion capture [5, 7], gestural interface design [8, 10, 71], gestures in live music [6], and human-robot co-movement [22, 24].

**Anna Lisa Martin-Niedecken** is a Senior Researcher at the Subject Area Game Design, Zurich University of the Arts. Anna’s research mainly focuses on movement-based exergames [32, 33]. In 2018 she founded the Startup and ZHDK-SpinOff, Sphery Ltd.

**Paul Strohmeier** is a postdoc at the HCI group of Saarland University. He is interested in human perception and computer sensing. He applies methods from psychophysics to deepen his understanding of human perception, especially in relation to action.

**Bruno Fruchard** is a postdoc at the HCI group of Saarland University. His research focuses on gestural interaction and

<sup>1</sup> Dagstuhl Seminars are academic events for open discussions of results and ideas, hosted at Schloss Dagstuhl in Saarland, Germany.

command selection. He previously explored mechanisms for supporting memorization.

**Sang-won Leigh** is an Assistant Professor of the School of Industrial Design at Georgia Institute of Technology. His research focuses on augmenting humans and their creativity, through forming symbiotic and tactile relationship between humans and computers.

**Elisa D. Mekler** is assistant professor in HCI at Aalto University. Her research concerns meaningful and emotionally fulfilling interactions with technology, and the development of conceptual and methodological tools to evaluate these.

**Suranga Nanayakkara** is an Associate Professor at the Auckland Bioengineering Institute, the University of Auckland. In 2011, he founded the Augmented Human Lab to explore creating ‘enabling’ human-computer interfaces as natural extensions of our body, mind and behaviour.

**Josef Wiemeyer** is a Professor for Sport Science with special emphasis on Movement, Training and Computer Science at Technische Universität Darmstadt, Germany. Since 1996 he teaches and researches at TU Darmstadt and his work focuses on designing and evaluation Serious Games (health and exergames).

**Nadia Berthouze** is Professor in Affective Computing and Interaction. Her main area of expertise is the study of body posture/movement as a modality for recognising, modulating and measuring human affective states in HCI.

**Thanassis Rikakis** is professor of Bioengineering and professor of Performing Arts at Virginia Tech. His research spans systems design, engineering and arts with a special focus on interactive neurorehabilitation, experiential media, adaptive learning and cyber-human intelligence.

**Kai Kunze** works on technology to understand ourselves better. He is an Associate Professor at the Keio Graduate School of Media Design, Keio University, Japan. He has a general love for science, hacking, making and playing with tech.

**Aisling Kelliher** is an Associate Professor at Virginia Tech, where she also has a joint appointment in the Institute for Creativity, Arts, and Technology and the School of Visual Art. She co-leads the Interactive Neurorehabilitation Lab at VT with Dr. Thanassis Rikakis.

**Kevin Warwick** is a British engineer and Deputy Vice-Chancellor at Coventry University in the United Kingdom. He is known for his studies on direct interfaces between computer systems and the human nervous system and has also done research concerning robotics.

**Elise van den Hoven** is Professor of Human-Computer Interaction at University of Technology Sydney and Eindhoven University of Technology, and is Honorary Professor at University of Dundee. Elise’s research interests span different disciplines, including interaction design, human-computer interaction and cognitive psychology, which all come together in the research program she leads called Materialising Memories.

**Florian ‘Floyd’ Mueller** directs the Exertion Games Lab at Monash University and will bring to the workshop experience in designing systems for the motor systems that are particularly engaging, having developed theory on how interactive design can support motor movement through games thinking.

**Steve Mann** is often referred to as “the father of wearable computing,” in recognition of his invention of the first

**Tentative Workshop Timeline**

- Opening
- Session 1
- Activity 1
- *Lunch break*
- Session 2
- Activity 2
- *Coffee break*
- Activity 3
- Results of the design probes session
- Discussion of future directions
- Closing
- *Evening: workshop dinner*

general-purpose wearable computer, as well as many more techniques that seem to have come from the future.

**Website**

The workshop web page contains more details, call for papers, link to the submission system, and accepted submissions: [www.motorhci.com](http://www.motorhci.com)

**Workshop Structure**

The workshop will take place over one full day. Activities are planned to comprise workshop presentations by participants, context creation and future thinking activity sessions, out-of-the-classroom group exercises, and discussions. The estimated number of workshop participants is 35. A tentative timeline for workshop activities is given on the sidebar.

Prospective participants will apply to join the workshop by responding to an online form.<sup>2</sup> This information will help us understand the thinking, prior research, future plans, insights, and/or interests of potential participants as it pertains to motor memory in HCI. Responses will be reviewed by the workshop organizers, and selected for inclusion based on quality, novelty, and potential to engender discussion, while aiming for a balance of different perspectives.

Group activities will consist of a exercises done in groups of 7-10 people. Activity 1 will involve creating a context and a shared understanding around motor memory in HCI among the workshop group. Building upon this shared understanding, activity 2 will comprise two parts. First, groups brainstorm on three novel scenarios or ideas that focus on motor movement and memory for 20 minutes. Second, they create a 300-word write-up on each idea in 40 minutes. The third activity is also group-based, where each team swaps the generated novel ideas from activity 2 with the team on

their left. Once swapped, each team goes through the three new scenarios/ideas, chooses one and picks a prototyping technique of their choice to expand on it for 90 minutes and create the following: (1) artifacts such as drawings and flowcharts to show how future technology could assist in the contexts and activities in question, (2) artifacts to showcase how futuristic technology could augment motor movements and memory. Concepts should integrate a technology element that resonates with the definitions discussed around motor memory. Presentations about the concepts will be created (e.g. as a slideshow, video, or enactment), shared, and discussed. The organizers will provide an assortment of prototyping materials including post-it notes and props.

**Post-Workshop Plans**

Following the workshop, we aim to conduct a hands-on design workshop on motor memory and HCI at Schloss Dagstuhl in 2020. We aim to submit an article to a relevant academic venue (e.g. ACM Interactions, TOCHI Journal) co-authored by the participants. We also plan to organize a journal special issue where our participants will be encouraged to publish. To sustain communications, we aim to use an online platform (e.g. Slack) which will be open for all those interested, and relevant details will be published on the workshop website. Finally, we will work towards conducting a second edition of the workshop at CHI 2021.

**Call for Participation**

The workshop *Motor Memory in HCI* focuses on how memory is tied to the sensorimotor system and embodied experiences of performing actions, a dynamic we refer to here as “motor memory.” Body movement can help us think and learn new information faster by establishing embodied representations of reality. This dynamic is also interpersonal – our own motor memory can shape how we perceive and remember others. When translated to the design of tech-

<sup>2</sup>[tiny.cc/jwpihz](http://tiny.cc/jwpihz)



nological systems, this means that not only should we consider that we can learn and memorize motor activity (e.g. motor skills), but that we can also perform motor activity to learn and memorize new information (e.g. gesturing directions).

The workshop aims to shape our understanding of how and in what circumstances movements assist memory. Once understood, it probes the groups to think of how futuristic sensorimotor systems can be designed to augment motor memory.

To apply to the workshop, submit your responses to the questions in this google form: <http://tiny.cc/jwpihz>. The submission deadline is February 11th, 2020. The responses will be reviewed by the workshop organizers. Accepted authors will be notified by February 28th, 2020 and the list of participants will be posted on the workshop website. Upon acceptance, all accepted participants must register for both the workshop and for at least one day of the conference. You can contact us on [hello@motorhci.com](mailto:hello@motorhci.com) if you have any questions.

## Acknowledgements

The Exertion Games Lab appreciates and acknowledges the support from the School of Design at RMIT University.

## REFERENCES

- [1] Josh Andres, Tuomas Kari, Juerg von Kaenel, and Florian 'Floyd' Mueller. 2019. "Co-riding With My eBike to Get Green Lights". In *Proceedings of the 2019 on Designing Interactive Systems Conference (DIS '19)*. ACM, New York, NY, USA.
- [2] Josh Andres, m.c. schraefel, Rakesh Patibanda, and Florian 'Floyd' Mueller. 2020a. Future InBodied: A Framework for Inbodied Interaction Design. In *Proceedings of the Fourteenth International Conference on Tangible, Embedded, and Embodied Interaction (TEI '20)*. ACM, New York, NY, USA.
- [3] Josh Andres, m.c. Schraefel, Nathan Semertzidis, Yutika Chandrashekar Kulwe, Brahmi Dwivedi, Juerg von Kaenel, and Florian "Floyd" Mueller. 2020b. Introducing Peripheral Awareness as a Neurological State for Human-Computer Integration. In *Proceedings of the 2020 SIGCHI Conference on Human Factors in Computing Systems (CHI '20)*. ACM, New York, NY, USA.
- [4] Josh Andres, m.c. schraefel, Aaron Tabor, and Eric B. Hekler. 2019. The Body As Starting Point: Applying Inside Body Knowledge for Inbodied Design. In *Extended Abstracts of the 2019 CHI Conference on Human Factors in Computing Systems (CHI EA '19)*. ACM, New York, NY, USA.
- [5] Mehmet Aydın Baytaş, Emmanuel Batis, Mathias Bylund, Damla Çay, Asim Evren Yantaç, and Morten Fjeld. 2017. Viewfinder: Supporting the Installation and Reconfiguration of Multi-camera Motion Capture Systems with a Mobile Application. In *Proceedings of the 16th International Conference on Mobile and Ubiquitous Multimedia (MUM '17)*. ACM, New York, NY, USA.
- [6] Mehmet Aydın Baytaş, Tilbe Göksun, and Oğuzhan Özcan. 2016. The Perception of Live-sequenced Electronic Music via Hearing and Sight. In *Proceedings of the International Conference on New Interfaces for Musical Expression*.
- [7] Mehmet Aydın Baytaş, Asim Evren Yantaç, and Morten Fjeld. 2017. LabDesignAR: Configuring Multi-camera Motion Capture Systems in Augmented Reality. In *Proceedings of the 23rd ACM Symposium on Virtual Reality Software and Technology (VRST '17)*. ACM, New York, NY, USA.
- [8] Mehmet Aydın Baytaş, Yücel Yemez, and Oğuzhan Özcan. 2014a. Hotspotizer: End-user Authoring of Mid-air Gestural Interactions. In *Proceedings of the 8th Nordic Conference on Human-Computer Interaction (NordiCHI '14)*. ACM, New York, NY, USA, 677–686.
- [9] Mehmet Aydın Baytaş, Yücel Yemez, and Oğuzhan Özcan. 2014b. User Interface Paradigms for Visually Authoring Mid-Air Gestures: A Survey and a Provocation. In *Proceedings of the Workshop on Engineering Gestures for Multimodal Interfaces*. CEUR.
- [10] Mehmet Aydın Baytaş. 2014. *End-user Authoring of Mid-air Gestural Interactions*. Master's thesis. Koç University.
- [11] Mehmet Aydın Baytaş. 2019. *Behind Space: Through Movement and Embodiment in Human-Computer Interaction*. Ph.D. Dissertation. Koç University.
- [12] Rupal Chaudhari and Hiren J Galiyawala. 2017. A review on motor imagery signal classification for BCI. *Signal Process. Int. J.(SPIJ)* 11, 2 (2017), 16.
- [13] Mark D'Esposito and Bradley R Postle. 2015. The cognitive neuroscience of working memory. *Annual review of psychology* 66 (2015), 115–142.
- [14] Paul Dourish. 2004. *Where the action is: the foundations of embodied interaction*. MIT press.
- [15] Jan Focke, Sylvia Kemmet, Vanessa Krause, Ariane Keitel, and Bettina Pollok. 2017. Cathodal transcranial direct current stimulation (tDCS) applied to the left premotor cortex (PMC) stabilizes a newly learned motor sequence. *Behavioural brain research* 316 (2017).
- [16] Jayden Garner, Gavin Wood, Sandra Danilovic, Jessica Hammer, and Florian Mueller. 2014. Intangle: exploring interpersonal bodily interactions through sharing controllers. In *Proceedings of the first ACM SIGCHI annual symposium on Computer-human interaction in play*. ACM, 413–414.

- [17] Grzegorz Glonek and Maria Pietruszka. 2012. Natural User Interfaces (NUI): Review. *Journal of Applied Computer Science* 20, 2 (2012), 27–45.
- [18] Mahyar Hamed, Sh-Hussain Salleh, and Alias Mohd Noor. 2016. Electroencephalographic motor imagery brain connectivity analysis for BCI: a review. *Neural computation* 28, 6 (2016), 999–1041.
- [19] Kasper Hornbæk, David Kirsh, Joseph A Paradiso, and Jürgen Steimle. 2018. On-Body Interaction: Embodied Cognition Meets Sensor/Actuator Engineering to Design New Interfaces (Dagstuhl Seminar 18212). Schloss Dagstuhl-Leibniz-Zentrum fuer Informatik.
- [20] Azadeh Jamalian, Valeria Giardino, and Barbara Tversky. 2013. Gestures for thinking. In *Proceedings of the Annual Meeting of the Cognitive Science Society*, Vol. 35.
- [21] Hans-Christian Jetter, Svenja Leifert, Jens Gerken, Sören Schubert, and Harald Reiterer. 2012. Does (multi-) touch aid users' spatial memory and navigation in 'panning' and in 'zooming & panning' UIs? In *Proceedings of the International Working Conference on Advanced Visual Interfaces*. ACM, 83–90.
- [22] La Delfa Joseph, Mehmet Aydın Baytaş, Rakesh Patibanda, Hazel Ngari, Rohit Ashok Khot, and Florian 'Floyd' Mueller. 2020. Drone Chi: Somaesthetic Human-Drone Interaction. In *Proceedings of the 2020 CHI Conference on Human Factors in Computing Systems (CHI '20)*. ACM, New York, NY, USA.
- [23] Mauri Kaipainen, Niklas Ravaja, Pia Tikka, Rasmus Vuori, Roberto Pugliese, Marco Rapino, and Tapio Takala. 2011. Enactive Systems and Enactive Media: Embodied Human-Machine Coupling beyond Interfaces. *Leonardo* 44, 5 (2011).
- [24] Joseph La Delfa, Mehmet Aydın Baytaş, Olivia Wichtowski, Rohit Ashok Khot, and Florian Floyd Mueller. 2019. Are Drones Meditative?. In *Extended Abstracts of the 2019 CHI Conference on Human Factors in Computing Systems (CHI EA '19)*. ACM, New York, NY, USA.
- [25] Sandra C Lozano, Bridgette Martin Hard, and Barbara Tversky. 2008. Putting motor resonance in perspective. *Cognition* 106, 3 (2008), 1195–1220.
- [26] Steve Mann. 1997. Wearable Computing. *IEEE Computer* 30, 2 (1997).
- [27] S. Mann. 1998. Humanistic Intelligence/Humanistic Computing: 'WearComp' as a new framework for intelligent signal processing. *Proc. IEEE* 86, 11 (Nov 1998), 2123–2151+cover.
- [28] Steve Mann. 2001a. *Intelligent Image Processing*. John Wiley and Sons.
- [29] Steve Mann. 2001b. Wearable Computing: Toward Humanistic Intelligence. *IEEE Intelligent Systems* 16, 3 (May/June 2001), 10–15.
- [30] Steve Mann, Diego Defaz, Tamer Abdulazim, Derek Lam, Mike Alford, Jeremy Stairs, Cayden Pierce, and Christina Mann. 2019. Encephalogram Games TM (Brain/Mind Games): Inclusive health and wellbeing for people of all abilities. In *2019 IEEE Games, Entertainment, Media Conference (GEM)*. IEEE, 1–10.
- [31] Rubén Martín-Clemente, Javier Olias, Deepa Beeta Thiyam, Andrzej Cichocki, and Sergio Cruces. 2018. Information theoretic approaches for motor-imagery BCI systems: Review and experimental comparison. *Entropy* 20, 1 (2018), 7.
- [32] Anna Lisa Martin-Niedecken and Elisa D. Mekler. 2018. The ExerCube: Participatory Design of an Immersive Fitness Game Environment. In *Serious Games*, Stefan Göbel, Augusto Garcia-Agundez, Thomas Tregel, Minhua Ma, Jannicke Baalsrud Hauge, Manuel Oliveira, Tim Marsh, and Polona Caserman (Eds.). Springer International Publishing, Cham, 263–275.
- [33] Anna Lisa Martin-Niedecken, Katja Rogers, Laia Turmo Vidal, Elisa D. Mekler, and Elena Márquez Segura. 2019. ExerCube vs. Personal Trainer: Evaluating a Holistic, Immersive, and Adaptive Fitness Game Setup. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems (CHI '19)*. ACM, New York, NY, USA.
- [34] Dennis J McFarland and Jon R Wolpaw. 2018. Brain–computer interface use is a skill that user and system acquire together. *PLoS biology* 16, 7 (2018).
- [35] Yash Dhanpal Mehta, Rohit Ashok Khot, Rakesh Patibanda, and Florian 'Floyd' Mueller. 2018. Arm-A-Dine: Towards Understanding the Design of Playful Embodied Eating Experiences. In *Proceedings of the 2018 Annual Symposium on Computer-Human Interaction in Play*. ACM, 299–313.
- [36] M. Minsky, R. Kurzweil, and S. Mann. society of intelligentveillance. In *IEEE ISTAS 2013*.
- [37] Florian Mueller, Stefan Agamanolis, and Rosalind Picard. 2003. Exertion Interfaces: Sports over a Distance for Social Bonding and Fun. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '03)*. ACM, New York, NY, USA, 561–568.
- [38] Florian 'Floyd' Mueller, Richard Byrne, Josh Andres, and Rakesh Patibanda. 2018a. Experiencing the body as play. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems*. ACM, 210.
- [39] Florian Mueller and Katherine Isbister. 2014. Movement-based Game Guidelines. In *Proceedings of the SIGCHI Conference on Human Factors in Computing Systems (CHI '14)*. ACM, New York, NY, USA, 2191–2200.
- [40] Florian Mueller, Rohit Ashok Khot, Kathrin Gerling, Regan Mandryk, and others. 2016. Exertion games. *Foundations and Trends® in Human–Computer Interaction* 10, 1 (2016), 1–86.
- [41] Florian 'Floyd' Mueller, Richard Byrne, Josh Andres, and Rakesh Patibanda. 2018b. Experiencing the Body As Play. In *Proceedings of the 2018 CHI Conference on Human Factors in Computing Systems (CHI '18)*. ACM, New York, NY, USA.
- [42] Florian 'Floyd' Mueller, Martin R. Gibbs, Frank Vetere, and Darren Edge. 2017. Designing for Bodily Interplay in Social Exertion Games. *ACM Trans. Comput.-Hum. Interact.* 24, 3 (May 2017).
- [43] Florian 'Floyd' Mueller, Kari Tuomas, Zhuying Li, Yan Wang, Yash Dhanpal Mehta, Josh Andres, Jonathan Marquez, and Rakesh Patibanda. 2020. Towards Designing Bodily Integrated Play. In *Proceedings of the Fourteenth International Conference on Tangible, Embedded, and Embodied Interaction (TEI '20)*. ACM, New York, NY, USA.
- [44] Collette Nicolle and Julio Abascal. 2001. *Inclusive design guidelines for HCI*. CRC Press.

- [45] Daichi Nozaki, Atsushi Yokoi, Takahiro Kimura, Masaya Hirashima, and Jean-Jacques Orban de Xivry. 2015. Artificial manipulation of human motor memories using noninvasive brain stimulation. *Brain Stimulation: Basic, Translational, and Clinical Research in Neuromodulation* 8, 2 (2015), 407.
- [46] Daichi Nozaki, Atsushi Yokoi, Takahiro Kimura, Masaya Hirashima, and Jean-Jacques Orban de Xivry. 2016. Tagging motor memories with transcranial direct current stimulation allows later artificially-controlled retrieval. *Elife* 5 (2016), e15378.
- [47] Janet Opila-Lehman, Margaret A Short, and Catherine A Trombly. 1985. Kinesthetic recall of children with athetoid and spastic cerebral palsy and of non-handicapped children. *Developmental Medicine & Child Neurology* 27, 2 (1985), 223–230.
- [48] Rakesh Patibanda, Jonathan Duckworth Florian'Floyd'Mueller, and Matevz Leskovsek. 2016. BreathSenses: Classification of Digital Breathing Games. *ACM Transactions on Computer-Human Interaction* (2016).
- [49] Rakesh Patibanda, Florian'Floyd' Mueller, Matevz Leskovsek, and Jonathan Duckworth. 2017. Life Tree: Understanding the design of breathing exercise games. In *Proceedings of the Annual Symposium on Computer-Human Interaction in Play*. ACM, 19–31.
- [50] S Patibanda. 2017. Understanding the design of breathing exercise games. (2017).
- [51] P Petitet, AM Silva Gonçalves, H Johansen-Berg, and J O'Shea. 2017. P259 Investigating the brain mechanisms of stimulation-enhanced motor memory. *Clinical Neurophysiology* 128, 3 (2017), e139.
- [52] Aleksandar Petrovski, Bekim Fetaji, Majlinda Fetaji, and Mirlinda Ebibi. 2014. Investigation of natural user interfaces and their application in gesture-driven human-computer interaction. In *2014 37th International Convention on Information and Communication Technology, Electronics and Microelectronics (MIPRO)*. IEEE, 788–794.
- [53] Alberto Pisoni, Alessandra Vergallito, Giulia Mattavelli, Erica Varoli, Fecchio Matteo, Mario Rosanova, Adenauer G Casali, and Leonor J Romero Lauro. 2018. TMS orientation and pulse waveform manipulation activates different neural populations: direct evidence from TMS-EEG. *BioRxiv* (2018), 308981.
- [54] Thanassis Rikakis, Aisling Kelliher, Jia-Bin Huang, and Hari Sundaram. 2018. Progressive Cyber-human Intelligence for Social Good. *Interactions* 25, 4 (June 2018).
- [55] Orjon Proji, Kris van Kuyck, Bart Nuttin, and Nicole Wenderoth. 2015. Anodal tDCS over the primary motor cortex facilitates long-term memory formation reflecting use-dependent plasticity. *PLoS One* 10, 5 (2015), e0127270.
- [56] Stefan Schneegass, Albrecht Schmidt, and Max Pfeiffer. 2016. Creating User Interfaces with Electrical Muscle Stimulation. *Interactions* 24, 1 (Dec. 2016).
- [57] m.c. schraefel, Elise van den Hoven, and Josh Andres. 2018. The Body As Starting Point: Exploring Inside and Around Body Boundaries for Body-Centric Computing Design. In *Extended Abstracts of the 2018 CHI Conference on Human Factors in Computing Systems (CHI EA '18)*. ACM, New York, NY, USA.
- [58] Ayelet Segal, Barbara Tversky, and John Black. 2014. Conceptually congruent actions can promote thought. *Journal of Applied Research in Memory and Cognition* 3, 3 (2014), 124–130.
- [59] Nathan Semertzidis, Josh Andres, Brahmi Dwivedi, Yutika Chandrashekar Kulwe, Michaela Scary, Fabio Zambetta, and Florian "Floyd" Mueller. 2020. Introducing Peripheral Awareness as a Neurological State for Human-Computer Integration. In *Proceedings of the 2020 SIGCHI Conference on Human Factors in Computing Systems (CHI '20)*. ACM, New York, NY, USA.
- [60] Nathan Arthur Semertzidis, Betty Sargeant, Justin Dwyer, Florian Floyd Mueller, and Fabio Zambetta. 2019. Towards Understanding the Design of Positive Pre-sleep Through a Neurofeedback Artistic Experience. In *Proceedings of the 2019 CHI Conference on Human Factors in Computing Systems*. ACM, 574.
- [61] Reza Shadmehr and Henry H Holcomb. 1997. Neural correlates of motor memory consolidation. *Science* 277, 5327 (1997), 821–825.
- [62] Jeffery J Summers, Nyeonju Kang, and James H Cauraugh. 2016. Does transcranial direct current stimulation enhance cognitive and motor functions in the ageing brain? A systematic review and meta-analysis. *Ageing Research Reviews* 25 (2016), 42–54.
- [63] Phil Turner. 2016. *HCI redux: The promise of post-cognitive interaction*. Springer.
- [64] Barbara Tversky. 2002. Navigating by mind and by body. In *International Conference on Spatial Cognition*. Springer, 1–10.
- [65] Barbara Tversky. 2019a. Mind in Motion. In *Proceedings of the 2019 on Creativity and Cognition (C&C '19)*. ACM, New York, NY, USA.
- [66] Barbara Tversky. 2019b. *Mind in Motion: How Action Shapes Thought*. Hachette UK.
- [67] Doménique van Gennip, Daniel Orth, Md Athar Imtiaz, Elise van den Hoven, and Beryl Plimmer. 2016. Tangible Cognition: Bringing Together Tangible Interaction and Cognition in HCI. In *Proceedings of the 28th Australian Conference on Computer-Human Interaction (OzCHI '16)*. ACM, New York, NY, USA.
- [68] Christian Vázquez, Lei Xia, Takako Aikawa, and Pattie Maes. 2018. Words in Motion: Kinesthetic Language Learning in Virtual Reality. In *2018 IEEE 18th International Conference on Advanced Learning Technologies (ICALT)*. IEEE.
- [69] Timothy N Welsh, Romeo Chua, Daniel J Weeks, and David Goodman. 2007. Perceptual-motor interaction: some implications for HCI. In *The Human-Computer Interaction Handbook*. CRC Press, 53–68.
- [70] Daniel Wigdor and Dennis Wixon. 2011. *Brave NUI world: designing natural user interfaces for touch and gesture*. Elsevier.
- [71] Adviye Ayca Ünlüer, Mehmet Aydın Baytaş, Oğuz Turan Buruk, Zeynep Cemalcılar, Yücel Yemez, and Oğuzhan Özcan. 2018. The Effectiveness of Mime-Based Creative Drama Education for Exploring Gesture-Based User Interfaces. *International Journal of Art & Design Education* 37, 3 (2018).